

LEGAL DESCRIPTION FOR THE ELOISE COMMUNITY REDEVELOPMENT AREA PREPARED FOR THE POLK COUNTY BOARD OF COMMISSIONERS

DESCRIPTION:

That part of Section 32, Township 28 South, Range 26 East. and Sections 4, S, 8 and 9,Township 29 Soulh. Range 26 East, Polk County, Florida, described as follows:

Commence at the Nonhwest comer of Section S, Township 29 Soulb, Range 26 East, also being the Southwest comer of Section 32y Township 28 South, Range 26 East; thence N89°44'20"E. along the North boundary of said Section S and the South boundary of said Section 32, a distance of 1690.75 feet to the inaenection with the Nonhwesterly boundary of the CSX Transponation Railroad right-of-way and to the Point of Beginning; thence N4S0 08' I 6"E. along said boundary, into said Section 32, a distance of S 1.03 feet IO a point of curve; thence along the arc of a curve to the left (having a radius of S679.65 feet. centtal angle 08°20'52") 827.52 feet, more or less. to the South boundary of the Lake Shipp-Lake Lulu Canal; thence run Easterly along the South boundary of said Lake Shipp-Lake Lulu CBnal to the intersection of the Westerly right-of-way boundary of U.S. Highway No. 17; thence continue along said South boundary of the Lake Shipp-Lake Lulu Canal in an Easterly direction to the West boundary of the SEI/4 of the SEI/4 of Section 32, Township 28 South. Range 26 East; thence S00°S0'27"W, along said West boundary, 196 feet, more or less, to the southwest comer of said SEI/4 of SEI/4 of Section 32; thence N89°44'20"E, along the South boundary of said Section 32. a distance of 224 feet. more or less, to the water's edge of Lake Lulu; thence Southeas1erly, along

said water's edge, into Section S, Township 29 Sowh. Range 26 East, to the intersection of the East boundary of said Section S; thence s00°11 oo"E. along said East boundary, 1494 feet. more or less, to the Southeast comer of the NEI/4 of said Section S; thence N89°49'28"E. into Section 4, along the Nonh boundary of the SWI/4 of said Section 4, a distance of 330.56 feet to the Easterly boundary of Shell Road as described in Official Records Book 949. Page 327 of the public records of Polk County, Florida; thence along said Easterly boundary the following courses and distances: thence S29°24'ST'E, 32.95 feet to a point on a cwve concave to the Southeast; thence along the arc of a curve to the left (having a radius of 18S.37 feet, central angle 6S0 S7'23", chord bearing S27°36'22"W) 213.39 feet to the end of said curve; thence S0S0 22'20"E, 197.64 feet to a point of curve; thence along the arc of a curve to the left (having a radius of 783.51 feet. central angle 16°40'00") 227.91 feet to the end of said curve; thence S22°02'20"E. 50.39 feet to a point of curve; thence along the arc of a curve to the right (having a radius of 255.37 feet, central angle 62°00'00") 276.34 feet to the end of said curve; thence S39°S7'40"W, 406.I 7 feet to a point of curve; thence along the arc of a curve to the right (having a radius of 1944.86 feet. central angle 00033'00") 18.67 feet to the end of said curve; thence N49°29'20"W, 26.14 feet to the Southeast bowidary of the maintained rightof-way of Shell Road as shown in Map Book IO, Page 13, of the public records of Polk CoW1ty 1 Florida; thence S4I°21'04"W, along said maintained right-of-way, 10.14 feet to the East boundary of said Section 5; thence S00°11'OO"E, along said East boundary, 1394.20 feet to the Southeast comer of said Section 5, also being the Nonhwest comer of Section 9; thence S00°14'ST'E, along the West boundary of said Section 9, a distance of 264.42 feet to the

intersection of the Easterly right-of-way boundary of State Road No. 6SS; thence, along said right-of-way boundary. into said. Section 9, the following courses and distances: thence S29°43'08"E, 1453.37 feet to a point of curve; thence along the arc of a curve to the right (having a radius of 1482.40 feet, central angle 50°55'00j 1317.35 feet to the end of said curve; thence S2 I O 11'S2"W, S66.02 feet to the intersection of the Southwesterly boundary of a 50 foot wide canal as shown on the plat of WAHNETA FARMS as recorded in Plat Book 1, Pages 82A and 82B of the public records of Polle County, Florida; thence, N41°55'03'-W, aJong said Southwesterly boundary of canal. 898.30 feet to the East boundary of Section 8, Township 29 South, Range 26 East; thence continue N4 I0 SS'0J"W, along said Southwesterly canal boundary. into said Section 8, a disrance of 1n2.41 feet to the Southeast comer of Lot 71 of said WAHNETA FARMS; thence S89°46'SS"W, along the South boundary of Lots 71, 72, 73 & 74 of said WAHNETA FARMS, a distance of 2784.49 feet to the Southwest comer of Lot 74; thence N00°06'50"W. along the West boundary of Lot 74 and Lot 60 of said WAHNETA FARMS. a distance of 1332.59 feet lo the North boundary of said Section 8; thence continue N00°06'S0"W, along the West boundary of Lot 51 and Lot 52 of said WAHNETA FARMS, into said Section . a distance of 659.53 feet to the Nonhwest comer of said Lot 51; thence N89°45'09"E, along the Nonh boundary of said Lot SI, a distance of I 095.72 feet, more or less, to the Southwest boundary of a 50 foot wide canaJ as shown on said pw of WAHNETA FARMS; thence, along the Southwesterly boundary of canal. N30°44'16"W, 1736.75 feet; thence continue along said canal NI I018'21"W, 1639.89 feet to the Southeast boundary of State Road SSS (U.S. Highway No. 17); thence NJ I 0 39 ' 28"W , SS 1.93 feet to the Northwesterly boundary of the CSX Transponarion Railroad right-of-way; thence N4S0 08' 16"E, along said right-of-way. 1797.19 feet to the Point of Beginning.

Sajd parcel of land contains 671 acres, more or less.

EXHIBIT "B": Eloise CRA Legal Description